

1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

DP 1017B 1.1 **Product identifiers Trade Name or designation** BioFoam E

Identification of Uses 1.2 Cleaner

> Uses advised against No specific uses are advised against

1.3 Biolink Limited. Supplier

Halifax Way

Pocklington Ind. Est

Pocklington

York **YO42 1NR**

Telephone No. +44 (0) 1759 303444 +44 (0) 1759 303158

info@biolinklimited.co.uk **Email**

1.4 **Emergency Phone** +44 (0) 1280 738605 (office hours only)

2 - HAZARDS IDENTIFICATION

Fax No.

2.1 Classification of the substance or mixture

Classification in accordance to EC 1272/2008 as amended

PHYSICAL HAZARDS

Not Classified

HEALTH HAZARDS

Skin Irritant Category 2 H315 Causes Skin irritation Eye Damage Category 1 H318 Causes serious eye damage

ENVIRONMENTAL HAZARDS

Aquatic Chronic Toxicity Category 3 H412 Harmful to aquatic life with long lasting effects

Hazard summary

Physical hazards

Not Classified

Health hazards

Causes skin irritation. Causes serious eye damage.

Environmental hazards

Harmful to aquatic life with long lasting effects

Specific hazards

Not known

Main symptoms

May cause irritation to the skin. Symptoms may include redness, discomfort, and rash. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

2.2 **Label elements**

Label in accordance with EC 1272/2008 as amended

Product Name BioFoam F

Revision date: 20/10/2016 Issue date: 20/10/2016 Page 1 of 13 Version No.: 1.2

Contains SODIUM HYDROXIDE, ALCOHOLS, C12-14, ETHOXYLATED, SULPHATED, SODIUM

SALTS

Hazard pictograms



Signal word

Danger

Hazard statements

H315 Causes Skin irritation

H318 Causes serious eye damage

H412 Harmful to aquatic life with long lasting effects

Precautionary statements

Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash hands and skin thoroughly after handling

Response

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P302+ 352 IF ON SKIN: Wash with plenty of soap and water

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P332+313 If skin irritation or rash occurs: Get medical advice/ attention

Storage

N/A

Disposal

N/A

Supplemental label information

N/A

1.3 Other hazards

Not known

3 - COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

ALCOHOLS, C12-14, ETH	10 – 20%		
CAS-No.: 68891-38-3	EC No.: 500-234-8	EC Index No.:	Reach No.:
			01-2119488639-16
	Classification (EC 127	72/2008)	
Eye Dam			
Skin Irrit. 2			
		Aquatic Chronic 3 – I	H412

Product Name BioFoam E

Version No.: 1.2 Revision date: 20/10/2016 Issue date: 20/10/2016 Page **2** of **13**

ALANINE, N,N-BIS(CARBOXYMETHYL)-,SODIUM SALT (1:3)			1 – 5%
CAS-No.: 164462-16-2	EC No.: 423-270-5	EC Index No.:	Reach No.: 01-0000016977-53
		Classification (EC 12 Met corr. 1 – H290	72/2008)

2-BUTOXYETHANOL			1-5%
CAS-No.: 111-76-2	EC No.: 203-905-0	EC Index No.:	Reach No.:
		603-014-00-0	01-2119475108-36
		Classification (EC 12)	72/2008)
		Acute Tox. 4 - H302	
		Acute Tox. 4 - H312	
		Acute Tox. 4 - H332	
		Skin Irrit. 2 - H315	
		Eye Irrit. 2 - H319	

SODIUM HYDROXIDE			<2%
CAS-No.: 1310-73-2	EC No.: 215-185-5	EC Index No.: 011-002-00-6	Reach No.: 01-2119457892-27
		Classification (EC 127	
		Skin Corr. 1A – H314 Met.Corr. 1A - H290	

		Classification (EC 1272/2008) Eye Irrit. 2 - H319	
		Cl 'f' ' /50 4 2	01-2119513350-56
CAS-No.: 1300-72-7	EC No.: 215-090-9	EC Index No.:	Reach No.:
SODIUM XYLENESULPHO	DNATE		0-1%

The Full Text for all Hazard Statements are Displayed in Section 16.

4 - FIRST AID MEASURES

General Information

First aiders should wear suitable protective clothing.

4.1 Description of first aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Ingestion

Call a physician or poison control centre immediately. Rinse mouth. Never give anything by mouth to a victim who is unconscious or is having convulsions. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. Call a physician or poison control centre immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse..

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control centre immediately.

Version No.: 1.2 Revision date: 20/10/2016 Issue date: 20/10/2016 Page **3** of **13**

4.2 Most important symptoms and effects, both acute and delayed

Irritation and discomfort. Corrosive damage to the eyes.

4.3 Indication of any immediate medical attention and special treatment needed

Rinse eye immediately with sterile saline solution.

Seek medical attention in case of ingestion, inhalation or contact with eyes.

5 - FIRE FIGHTING MEASURES

General Fire Hazards

5.1. Extinguishing media

SUITABLE EXTINGUISHING MEDIA

Water spray, Dry powder, foam.

UNSUITABLE EXTINGUISHING MEDIA

None

5.2. Special hazards arising from the substance or mixture

UNUSUAL FIRE & EXPLOSION HAZARDS

In case of fire toxic gases may be released. (COx, NOx, HCI).

SPECIFIC HAZARDS

None noted.

5.3. Advice for fire-fighters

SPECIAL FIRE FIGHTING PROCEDURES

Collect fire extinguishing water separately, do not allow to enter drains. Exceptionally large spillages should be notified to the appropriate authorities.

PROTECTIVE EQUIPMENT FOR FIRE-FIGTHERS

Wear self-contained breathing apparatus.

6 - ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Keep unnecessary people away. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Ensure suitable personal protection (including respiratory protection) during removal of spillages in a confined area.

6.2. Environmental precautions

Do not let product enter drains. Discharge into the environment must be avoided. Appropriate authorities should be notified in case of contamination of sewerage or surface water.

6.3. Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. If possible contain the spillage with adsorbent material, place in a suitable container and dispose of as described in section 13 of this safety data sheet.

6.4. Reference to other sections

Personal protection -section 8.

Disposal considerations – Section 13.

7 - HANDLING AND STORAGE

7.1 Precautions for safe handling

Ensure good ventilation when using this product, avoid inhalation of vapours and spray. Handle with care and avoid spilling, skin and eye contact. Do not handle broken packages without protective equipment. Follow instructions and ensure correct dilution of this product before use.

Version No.: 1.2 Revision date: 20/10/2016 Issue date: 20/10/2016 Page **4** of **13**

Product Name BioFoam E

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container

7.3 Specific end use(s)

Cleaner

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Component	CAS-No.	Value	Control Parameters	Basis
SODIUM HYDROXIDE	1310-73-2	TWA	2 mg/m³ Inhalable aerosol	Austrian OEL Regulation
SODIUM HYDROXIDE	1310-73-2	STEL	4 mg/m³ Inhalable aerosol	Austrian OEL Regulation
SODIUM HYDROXIDE	1310-73-2	TWA	2 mg/m ³	Belgium VLEP/GWBB
SODIUM HYDROXIDE	1310-73-2	TWA	2 mg/m ³	Denmark
SODIUM HYDROXIDE	1310-73-2	STEL	2 mg/m ³	Denmark
SODIUM HYDROXIDE	1310-73-2	TWA	2 mg/m ³	France INRS
				Hungary Decree No. 25/2000
SODIUM HYDROXIDE	1310-73-2	TWA	2 mg/m ³	(IX.30)
				Hungary Decree No. 25/2000
SODIUM HYDROXIDE	1310-73-2	STEL	2 mg/m ³	(IX.30)
SODIUM HYDROXIDE	1310-73-2	STEL	2 mg/m ³	Ireland
SODIUM HYDROXIDE	1310-73-2	TWA	0.5 mg/m ³	Latvia
SODIUM HYDROXIDE	1310-73-2	TWA	0.5 mg/m ³	Poland - NDS
SODIUM HYDROXIDE	1310-73-2	STEL	1 mg/m ³	Poland - NDS
SODIUM HYDROXIDE	1310-73-2	TWA	2 mg/m ³	Spain - Royal Decree 374/2001
SODIUM HYDROXIDE	1310-73-2	TWA	1 mg/m ³	Sweden
SODIUM HYDROXIDE	1310-73-2	STEL	2 mg/m ³	Sweden
SODIUM HYDROXIDE	1310-73-2	TWA	2 mg/m³ Inhalable aerosol	Switzerland
SODIUM HYDROXIDE	1310-73-2	STEL	2 mg/m³ Inhalable aerosol	Switzerland
SODIUM HYDROXIDE	1310-73-2	STEL	2 mg/m ³	UK - EH40 WEL

Biological limit values

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no-effect level (DNEL)

ALCOHOLS, C12-14, ETHOXYLATED, SULPHATED, SODIUM SALTS

Route	Use	Effect	Time	Value
Dermal	Worker	Systemic	Long Term	2750 mg/kg
Inhalation	Worker	Systemic	Long Term	175 mg/m ³
Oral	Consumer	Systemic	Long Term	15 mg/kg/bw
Dermal	Consumer	Systemic	Long Term	1650 mg/kg
Inhalation	Consumer	Systemic	Long Term	52 mg/m ³

2-BUTOXYETHANOL

Route	Use	Effect	Time	Value
Dermal	Worker	Acute	1d	89 mg/kg
Inhalation	Worker	Acute		663 mg/kg
Inhalation	Workers	Local		246 mg/m ³
Dermal	Workers	Chronic	1d	75 mg/kg
Inhalation	Workers	Chronic		98mg/m³
Dermal	Consumers	Acute	1d	44.5 mg/kg
Inhalation	Consumers	Acute		426 mg/m ³
Ingestion	Consumers	Acute	1d	13.4 mg/kg
Inhalation	Consumers	Local		123 mg/m ³
Dermal	Consumers	Chronic	1d	38 mg/kg

Product Name BioFoam E

Version No.: 1.2 Revision date: 20/10/2016 Issue date: 20/10/2016 Page **5** of **13**

Page **6** of **13**

Biolink Ltd.

Inhalation	Consumers	Chronic		49mg/m ³
Ingestion	Consumers	Chronic	1d	3.2 mg/kg

SODIUM HYDROXIDE

Route	Use	Effect	Time	Value
Inhalation	Worker	Local	Long Term	1.0 mg/m ³
Dermal	worker	Local	Short Term	2 %
Inhalation	Consumer	Local	Long Term	1.0 mg/m ³
Dermal	Consumer	Local	Short Term	2 %

SODIUM XYLENESULPHONATE

Route	Use	Effect	Time	Value
Dermal	Worker	Systemic	Long Term	7.6 mg/kg/day
Inhalation	Worker	Systemic	Long Term	53.6 mg/m ³ 8h
Oral	Consumer	Systemic	Long Term	3.8 mg/kg/day
Dermal	Consumer	Systemic	Long Term	3.8 mg/kg/day
Inhalation	Consumer	Systemic	Long Term	13.2 mg/m ³

Predicted no effect concentrations (PNECs)

ALCOHOLS, C12-14, ETHOXYLATED, SULPHATED, SODIUM SALTS

Route	Value
Freshwater	0.24 mg/l
Freshwater sediment	5.45 mg/kg (DW)
Intermittent release	0.071 mg/l
Marine sediment	0.545 mg/kg (DW)
Marine water	0.024 mg/l
STP	10,000 mg/l
Soil	0.946 mg/kg (DW)

2-BUTOXYETHANOL

Route	Use	Effect	Time	Value
Dermal	Worker	Acute	1d	89 mg/kg
Inhalation	Worker	Acute		663 mg/kg
Inhalation	Workers	Local		246 mg/m ³
Dermal	Workers	Chronic	1d	75 mg/kg
Inhalation	Workers	Chronic		98mg/m ³
Dermal	Consumers	Acute	1d	44.5 mg/kg
Inhalation	Consumers	Acute		426 mg/m ³
Ingestion	Consumers	Acute	1d	13.4 mg/kg
Inhalation	Consumers	Local		123 mg/m ³
Dermal	Consumers	Chronic	1d	38 mg/kg
Inhalation	Consumers	Chronic		49mg/m ³
Ingestion	Consumers	Chronic	1d	3.2 mg/kg

SODIUM HYDROXIDE

Route	Use	Effect	Time	Value			
Inhalation	Worker	Local	Long Term	1.0 mg/m ³			
Dermal	worker	Local	Short Term	2 %			
Inhalation	Consumer	Local	Long Term	1.0 mg/m ³			
Dermal	Consumer	Local	Short Term	2 %			

SODIUM XYLENESULPHONATE

Route	Use	Effect	Time	Value
Dermal	Worker	Systemic	Long Term	7.6 mg/kg/day
Inhalation	Worker	Systemic	Long Term	53.6 mg/m ³ 8h
Oral	Consumer	Systemic	Long Term	3.8 mg/kg/day
Dermal	Consumer	Systemic	Long Term	3.8 mg/kg/day
Inhalation	Consumer	Systemic	Long Term	13.2 mg/m ³

Version No.: 1.2 Revision date: 20/10/2016 Issue date: 20/10/2016

8.2 Exposure controls



Appropriate Engineering controls

No specific engineering measures are noted except that this product should be used in a well ventilated area.

Individual protection measures, such as personal protective equipment

In case of splashing wear suitable protective equipment.

General information

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday

Respiratory equipment

Where risk assessment shows air-purifying respirators are appropriate use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator.

Hand protection

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.6 mm Break through time: >480 min

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm Break through time: >35 min

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection

In case of splashing, wear safety goggles or face shield.

Other protection

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

Hygiene measures

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap & water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke

Environmental exposure controls

Do not discharge into the watercourse or drains

9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance

Physical State: Liquid Form: Solution

Product Name BioFoam E

Version No.: 1.2 Revision date: 20/10/2016 Issue date: 20/10/2016 Page **7** of **13**

Colour: Colourless
Odour: Faint odour

pH 13.0 approx.
BP/BP Range >100°C
MP/MP Range <0°C

SG/Density: 1.0 - 1.1 g/ml (1.02 typical)Solubility Completely miscible in water

9.2. Other information

Not known

10 - STABILITY AND REACTIVITY

10.1 Reactivity

Not expected under normal conditions of use

10.2 Chemical stability

Stable under normal temperature conditions

10.3 Possibility of hazardous reactions

Not expected under normal conditions of use

Sodium hydroxide: Contact with some metals e.g. aluminium, zinc, tin, alloys can produce flammable hydrogen gas. Contact with some organic chemicals can produce violent or explosive reactions.

10.4 Conditions to avoid

Avoid exposure to high temperatures or direct sunlight. Acids and chlorinated hydrocarbons

10.5 Incompatible materials

Materials to avoid -strong acids or alkalis. Oxidising agents. Chlorinated hydrocarbons

10.6 Hazardous decomposition products

None, see section 5 for decomposition products under fire conditions

11 - TOXICOLOGICAL INFORMATION

General information

Information on likely routes of exposure

Inhalation

Inhalation of vapours/aerosols can lead to irritation of the respiratory tract and cause inflammation of the respiratory tract and pulmonary oedema. Symptoms may occur with delay

Skin contact

With increasing contact length, local erythema or extreme irritation (whitening)

Eye contact

Extreme irritation up to cauterisation. Can cause severe conjunctivitis, cornea damage or irreversible eye damage. Symptoms may occur with delay

Ingestion

Swallowing can lead to bleeding of the mucosa of the mouth, oesophagus and stomach. The rapid release of oxygen can cause distension and bleeding of the mucosa in the stomach and lead to severe damage of the internal organs, especially in the event of greater intake of the product

Symptoms

May cause irritation to the skin. Symptoms may include redness, discomfort, and rash. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Version No.: 1.2 Revision date: 20/10/2016 Issue date: 20/10/2016 Page **8** of **13**

Product Name

BioFoam E

11.1 Information on toxicological effects

Acute toxicity

ALCOHOLS, C12-14, ETHOXYLATED, SULPHATED, SODIUM SALTS

Oral LD50 > 2000-5000 mg/kg (Rat)
Dermal LD50 > 2000 mg/kg (Rat)

ALANINE, N,N-BIS(CARBOXYMETHYL)-,SODIUM SALT (1:3)

 Oral
 LD50
 >4000 mg/kg

 Inhalation
 LC50 4h
 >5mg/l

 Dermal
 LD50
 >4000 mg/kg

2-BUTOXYETHANOL Oral LD50 >300-2000 mg/kg (Rat)
Dermal LD50 >1000-2000 mg/kg (Rat)

SODIUM XYLENESULPHONATE Oral LD50 7200 mg/kg
Dermal LD50 2000 mg/kg

Skin corrosion/irritation

ALCOHOLS, C12-14, ETHOXYLATED, SULPHATED, SODIUM SALTS

OECD 404 Irritant

ALANINE, N, N-BIS (CARBOXYMETHYL)-, SODIUM SALT (1:3)

OECD 404 Not irritating

2-BUTOXYETHANOL Rabbit Not irritating

Serious eye damage/eye irritation

ALCOHOLS, C12-14, ETHOXYLATED, SULPHATED, SODIUM SALTS

OECD 405 Irritating (Rabbit)

≥5-10 % Causes serious eye damage

ALANINE, N,N-BIS(CARBOXYMETHYL)-,SODIUM SALT (1:3)

OECD 405 Not irritating

2-BUTOXYETHANOL Rabbit Highly irritating

Respiratory sensitisation

Based on the available data not classified as a respiratory sensitiser

Skin sensitisation

ALCOHOLS, C12-14, ETHOXYLATED, SULPHATED, SODIUM SALTS

OECD 406 Not sensitising (Guinea pig)

ALANINE, N,N-BIS(CARBOXYMETHYL)-,SODIUM SALT (1:3)

OECD 406 Not sensitising

Germ cell mutagenicity

ALANINE, N,N-BIS(CARBOXYMETHYL)-,SODIUM SALT (1:3)

OECD 471 Negative
HGPRT assay Negative
Micronucleus assay Negative

2-BUTOXYETHANOL Ames Test Negative (S. typhimurium)

Carcinogenicity

Based on the available data not classified as a carcinogen

IARC Monographs. Overall Evaluation of Carcinogenicity

2-BUTOXYETHANOL Group 3

Reproductive toxicity

ALCOHOLS, C12-14, ETHOXYLATED, SULPHATED, SODIUM SALTS

OECD 416 NOAEL >300 mg/kg (Parents and F1) 2

generation

ALANINE, N,N-BIS(CARBOXYMETHYL)-,SODIUM SALT (1:3)

OECD 421/422 Negative

Developmental toxicity

NOAEL >2000 mg/kg Oral (Rat)

Specific target organ toxicity - single exposure

Based on the available data not classified as a STOT SE. Specific target organ toxicity - repeated exposure

ALCOHOLS, C12-14, ETHOXYLATED, SULPHATED, SODIUM SALTS

OECD 408, NOAEL 90 d Liver >225 mg/kg/bw/d Oral (Rat)

Product Name BioFoam E

Version No.: 1.2 Revision date: 20/10/2016 Issue date: 20/10/2016 Page **9** of **13**

ALANINE, N,N-BIS(CARBOXYMETHYL)-,SODIUM SALT (1:3)

May cause damage to the kidney after repeated ingestion of high doses-animal studies

OECD 453 NOAEL 530 mg/kg Oral (Rat)

Aspiration hazard

Based on the available data not classified as an aspiration hazard

Mixture versus substance information

No data available

Other information

Not known

12 - ECOLOGICAL INFORMATION

12.1 Toxicity

ALCOHOLS, C12-14, ETHOXYLATED, SULPHATED, SODIUM SALTS

Toxicity to fish LC50 >1-10mg/l Brachydario rerio

NOEC 1.2 mg/l QSAR

Toxicity to aquatic invertebrates EC50 48 h >1-10 mg/l Daphnia magna

NOEC 21d >0.1-1 mg/l Daphnia magna

Toxicity to Algae EC50 72 h >10-100 mg/l *D. subspicatus*

Toxicity to Bacteria EC10 >10,000 mg/l Pseudomonas putida

ALANINE, N,N-BIS(CARBOXYMETHYL)-,SODIUM SALT (1:3)

Toxicity to fish LC50 96 h >200 mg/l Brachydanio rerio

NOEC 28d ≥ 200 mg/l *Oncorhynchus mykiss*

Toxicity to aquatic invertebrates EC50 48 h >200 mg/l Daphnia magna

NOEC 21d ≥ 200 mg/l *Daphnia magna*

Toxicity to Algae EC50 72 h >200 mg/l Scenedesmus subspicatus

Toxicity to Bacteria EC20 0.5h > 2000mg/l activated sludge

2-BUTOXYETHANOL

Toxicity to fish LC50 96 h >100 mg/l Lepomis machrochirus

Toxicity to aquatic invertebrates EC50 24 h >100 mg/l Daphnia magna

Toxicity to Algae EC50 7d >100 mg/l Desmodesmus subspicatus

SODIUM XYLENESULPHONATE

Toxicity to fishLC501000 mg/lToxicity to aquatic invertebratesEC501000 mg/lToxicity to AlgaeEC50230 mg/l

12.2 Persistence and degradability

ALCOHOLS, C12-14, ETHOXYLATED, SULPHATED, SODIUM SALTS

Readily Biodegradable

OECD301 A 28d 70-80%

ALANINE, N,N-BIS(CARBOXYMETHYL)-,SODIUM SALT (1:3)

Readily biodegradable

 OECD 301 F 28 d
 80-90% BOD or the ThOD

 OECD 311 60 d
 80-90% TIC of the ThIC

2-BUTOXYETHANOL Readily biodegradable

OECD 301 E 28 d >70% Activated sludge

SODIUM XYLENESULPHONATE The product is readily biodegradable

12.3 Bioaccumulative potential

No data available

Partition coefficient n-octanol/water (log Kow)

ALANINE, N,N-BIS(CARBOXYMETHYL)-,SODIUM SALT (1:3)

LogKow -4.0

12.4 Mobility in soil

ALCOHOLS, C12-14, ETHOXYLATED, SULPHATED, SODIUM SALTS

Adsorption/Soil Koc 191 (Calculated)

Product Name BioFoam E

Version No.: 1.2 Revision date: 20/10/2016 Issue date: 20/10/2016 Page **10** of **13**

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

No data available

13 - DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements

Residual waste

Dispose of waste and residues in accordance with local authority requirements

Contaminated packaging

Dispose of as unused product.

EU Waste Code

The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Disposal methods/information

Wear protective equipment as outlined in section 8 of this safety data sheet when handling this product contaminated materials and packaging.

Special precautions

Not noted.

14 - TRANSPORT INFORMATION

Road Transport Notes

14.1 UN-number

ADR/RID: N/A IMDG: N/A IATA: N/A

14.2 UN proper shipping name

ADR/RID: N/A IMDG: N/A IATA: N/A

14.3 Transport hazard class (es)

ADR/RID: N/A IMDG: N/A IATA: N/A

14.4 Packaging group

ADR/RID: N/A IMDG: N/A IATA: N/A

14.5 Environmental hazards

IMDG: Marine pollutant: No

14.6 Special precautions for users

N/A

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N/A

Further information

N/A

15 - REGULATORY INFORMATION

Product Name BioFoam E

Version No.: 1.2 Revision date: 20/10/2016 Issue date: 20/10/2016 Page **11** of **13**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

15.2 Chemical Safety Assessment

National regulations Young people under 18 years old are not allowed to work with this product according to the EU Directive 94/33/EC on the protection of young people at work. Follow national regulation for work with chemical agents.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out.

16 - OTHER INFORMATION

List of abbreviations

CO Carbon Monoxide
NO Nitrogen Oxide
HCL Hydrochloric acid
TWA Time weighted average
STEL Short Term exposure limit
DW Dry weight

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements under Sections 2 to 15

H290 May be corrosive to metals

H302 Harmful if swallowed

H312 Harmful in contact with skin

H314 Causes severe skin burns and eye damage

H315 Causes Skin irritation

H318 Causes serious eye damage

H319 Causes serious eye irritation

H332 Harmful if inhaled

H412 Harmful to aquatic life with long lasting effects

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash hands and skin thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P302+ 352 IF ON SKIN: Wash with plenty of soap and water

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P332+313 If skin irritation or rash occurs: Get medical advice/ attention

Training information Follow training instructions when handling this material.

Disclaimer

Biolink cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to

Product Name BioFoam E

Version No.: 1.2 Revision date: 20/10/2016 Issue date: 20/10/2016 Page 12 of 13

ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment. The information in the sheet was written based on the best knowledge and experience currently available.

Product Name BioFoam E

Version No.: 1.2 Revision date: 20/10/2016 Issue date: 20/10/2016 Page **13** of **13**