

VIROPHOR 2.8%

Page: 1

Compilation date: 06/02/2015

Revision No: 10

### Section 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name: VIROPHOR 2.8%

Product code: AF9527

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Disinfectant

### 1.3. Details of the supplier of the safety data sheet

Company name: Kilco (International) Ltd

Broomhouses 2 Industrial Estate

Old Glasgow Road

Lockerbie DG11 2SD

United Kingdom

Tel: +44 (0) 157 620 5480

Email: sds@kilco.co.uk

### 1.4. Emergency telephone number

Emergency tel: +44 (0) 207 858 1228

### **Section 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification under CHIP: Xi: R38; Xi: R41

Classification under CLP: Skin Corr. 1A: H314

Most important adverse effects: Irritating to skin. Risk of serious damage to eyes.

#### 2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion



Precautionary statements: P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

VIROPHOR 2.8%

Page: 2

P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Label elements under CHIP:

Hazard symbols: Irritant.



Risk phrases: R38: Irritating to skin.

R41: Risk of serious damage to eyes.

Safety phrases: S26: In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S39: Wear eye / face protection.

#### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

### 3.2. Mixtures

# Hazardous ingredients:

#### ALCOHOLS, C9-11, ETHOXYLATED

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	68439-46-3	Xn: R22; Xi: R41	Acute Tox. 4: H302; Eye Dam. 1: H318	10-30%
ORTHOPHOSE	PHORIC ACID			
231-633-2	7664-38-2	C: R34	Skin Corr. 1B: H314	10-30%
SULPHURIC A	CID			
231-639-5	7664-93-9	C: R35	Skin Corr. 1A: H314	1-10%
IODINE				
231-442-4	7553-56-2	Xn: R20/21; N: R50	Acute Tox. 4: H332; Acute Tox. 4: H312; Aquatic Acute 1: H400	1-10%

### Section 4: First aid measures

## 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water

to drink immediately. Consult a doctor.

VIROPHOR 2.8%

Page: 3

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Severe burns may occur.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe

pain. The vision may become blurred. May cause permanent damage.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

#### Section 5: Fire-fighting measures

### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised

personnel. Do not attempt to take action without suitable protective clothing - see section

8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

### Section 7: Handling and storage

VIROPHOR 2.8%

Page: 4

### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance.

Avoid the formation or spread of mists in the air.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

#### 7.3. Specific end use(s)

Specific end use(s): The identified uses for this product are detailed in Section 1.2

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

### **Hazardous ingredients:**

### **ORTHOPHOSPHORIC ACID...100%**

#### Workplace exposure limits:

### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1 mg/m3	2 mg/m3	-	-

#### **SULPHURIC ACID...100%**

UK	0.05 mg/m3	-	-	-

### IODINE

UK	-	1.1 mg/m3	-	-
----	---	-----------	---	---

#### **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

#### 8.2. Exposure controls

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.EN141 & EN143/equivalent)

Hand protection: Protective gloves. Chemical resistant gloves. Natural rubber (NR)/ Polychloroprene (PCP). (EN 374).

**Eye protection:** Tightly fitting safety goggles. Ensure eye bath is to hand.

**Skin protection:** Protective clothing. suitable materials – PVC, neoprene, nitrile rubber (NBR), rubber

### Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Brown/Black

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Soluble

Viscosity: Viscous

VIROPHOR 2.8%

Page: 5

Flammability limits %: lower: Not applicable. upper: Not applicable.

Flash point°C: Not applicable. Relative density: 1.100 - 1.200

**pH:** <1.5

9.2. Other information

Other information: Not applicable.

## Section 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

Conditions to avoid: Heat.

## 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

# 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

## **Section 11: Toxicological information**

# 11.1. Information on toxicological effects

## **Hazardous ingredients:**

# ALCOHOLS, C9-11, ETHOXYLATED

DERMAL	RAT	LD50	2000 - 5000	mg/kg
ORAL	RAT	LD50	1200	mg/kg

### **ORTHOPHOSPHORIC ACID...100%**

ORL	RAT	LD50	1530	mg/kg	
ONL	IXAT	LD30	1330	mg/kg	

### **SULPHURIC ACID...100%**

ORL	RAT	LD50	2140	mg/kg
ONL	10/11	LDOU	2170	1119/109

VIROPHOR 2.8%

Page: 6

#### **IODINE**

ORL	MUS	LD50	22	gm/kg
ORL	RAT	LD50	14	gm/kg
SCU	RAT	LD50	10500	mg/kg

#### Relevant effects for mixture:

Effect	Route	Basis
Irritation	OPT DRM	Hazardous: calculated

### Symptoms / routes of exposure

Skin contact: Severe burns may occur.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe

pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

## **Section 12: Ecological information**

### 12.1. Toxicity

### **Hazardous ingredients:**

# **ALCOHOLS, C9-11, ETHOXYLATED**

ALGAE	72H ErC50	47	mg/l
DAPHNIA	48H EC50	9 - 13.4	mg/l
FISH	96H LC50	11 - 23.7	mg/l

## 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

# 12.4. Mobility in soil

Mobility: Readily absorbed into soil.

## 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

VIROPHOR 2.8%

Page: 7

#### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## **Section 14: Transport information**

#### 14.1. UN number

UN number: UN1760

### 14.2. UN proper shipping name

Shipping name: CORROSIVE LIQUID, N.O.S.

(PHOSPHORIC ACID; SULPHURIC ACID)

#### 14.3. Transport hazard class(es)

Transport class: 8

# 14.4. Packing group

Packing group: III

#### 14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: Yes

### 14.6. Special precautions for user

**Special precautions:** No special precautions.

Tunnel code: E
Transport category: 3

# **Section 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

### 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

#### **Section 16: Other information**

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

This safety data sheet is prepared in accordance with Commission Regulation (EC) No

1272/2008.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.

VIROPHOR 2.8%

Page: 8

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H332: Harmful if inhaled.

H400: Very toxic to aquatic life.

R20/21: Harmful by inhalation and in contact with skin.

R22: Harmful if swallowed.

R34: Causes burns.

R35: Causes severe burns.

R38: Irritating to skin.

R41: Risk of serious damage to eyes.

R50: Very toxic to aquatic organisms.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product. Kilco

(International) Ltd, Registered Office: 1A Trench Road, Mallusk, Newtownabbey, Belfast,

BT36 4TY. Place of Registration: Northern Ireland, Registration Number: NI3240