

AQUA 50

Page: 1

Compilation date: 12/05/2015

Revision No: 09

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: AQUA 50
Product code: AF7541

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Biocide for water treatment

# 1.3. Details of the supplier of the safety data sheet

Company name: Kilco (International) Ltd

Broomhouses 2 Industrial Estate

Old Glasgow Road

Lockerbie DG11 2SD

United Kingdom

Tel: +44 (0) 157 620 5480

Email: sds@kilco.co.uk

## 1.4. Emergency telephone number

Emergency tel: +44 (0) 207 858 1228

## **Section 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification under CHIP: Xn: R22; Xi: R37/38; Xi: R41

Classification under CLP: Acute Tox. 4: H302; STOT SE 3: H335; Skin Irrit. 2: H315; Eye Dam. 1: H318

Most important adverse effects: Harmful if swallowed. Irritating to respiratory system and skin. Risk of serious damage

to eyes.

## 2.2. Label elements

Label elements:

Hazard statements: H302: Harmful if swallowed.

H335: May cause respiratory irritation.

H315: Causes skin irritation.

H318: Causes serious eye damage.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion

GHS07: Exclamation mark





AQUA 50

Page: 2

Precautionary statements: P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+310: IF SWALLOWED: Immediately call a POISON CENTER/doctor/.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor/.

P312: Call a POISON CENTER/doctor//if you feel unwell.

Label elements under CHIP:

Hazard symbols: Corrosive.



Risk phrases: R22: Harmful if swallowed.

R37/38: Irritating to respiratory system and skin.

R41: Risk of serious damage to eyes.

Safety phrases: S26: In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show

the label where possible).

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

#### 3.2. Mixtures

# Hazardous ingredients:

#### HYDROGEN PEROXIDE SOLUTION

EINECS	CAS	CHIP Classification	CLP Classification	Percent
231-765-0	7722-84-1	-: R5; O: R8; Xn: R20/22; C: R35	Ox. Liq. 1: H271; Acute Tox. 4: H332; Acute Tox. 4: H302; Skin Corr. 1A: H314	30-50%

# Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

AQUA 50

Page: 3

Ingestion: Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious,

check for breathing and apply artificial respiration if necessary. If unconscious and

breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If

unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and

provide oxygen if available. Transfer to hospital as soon as possible.

# 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Irritation or pain may occur at the site of contact. Blistering may occur. Severe burns may

occur.

Eye contact: There may be irritation and redness. The eyes may water profusely. Corneal burns may

occur.

Ingestion: There may be soreness and redness of the mouth and throat. There may be difficulty

swallowing. Corrosive burns may appear around the lips. Nausea and stomach pain

may occur. There may be vomiting.

Inhalation: There may be a feeling of tightness in the chest with shortness of breath. Exposure may

cause coughing or wheezing. There may be congestion of the lungs causing severe

shortness of breath. There may be loss of consciousness.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# 4.3. Indication of any immediate medical attention and special treatment needed

## Section 5: Fire-fighting measures

## 5.1. Extinguishing media

Extinguishing media: Carbon dioxide. Alcohol or polymer foam. Dry chemical powder.

#### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Corrosive. In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised

personnel.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

AQUA 50

Page: 4

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a suitable container. Wash down the drain with large amounts of water.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

# Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Smoking is forbidden.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

#### 7.3. Specific end use(s)

Specific end use(s): The identified uses for this product are detailed in Section 1.2

#### Section 8: Exposure controls/personal protection

## 8.1. Control parameters

# Hazardous ingredients:

### **HYDROGEN PEROXIDE SOLUTION...100%**

# Workplace exposure limits:

## Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1.4 mg/m3	2.8 mg/m3	_	_

### **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Face-shield. Ensure eye bath is to hand.

Skin protection: Protective clothing with elasticated cuffs and closed neck. Boots made of PVC. PVC

apron covering the tops of the boots. Ensure safety shower is to hand.

# Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Oxidising: Oxidising (by EC criteria)

AQUA 50

Page: 5

### 9.2. Other information

Other information: Not applicable.

## Section 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

Chemical stability: Unstable.

# 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat.

### 10.5. Incompatible materials

Materials to avoid: Reducing agents. Organic materials.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

# **Section 11: Toxicological information**

# 11.1. Information on toxicological effects

#### **Hazardous ingredients:**

### **HYDROGEN PEROXIDE SOLUTION...100%**

ORL	MUS	LD50	2	gm/kg
ORL	RAT	LD50	376	mg/kg
SKN	RAT	LD50	4060	mg/kg

### Relevant effects for mixture:

Effect	Route	Basis
Acute toxicity (harmful)	ING	Hazardous: calculated
Irritation	OPT INH DRM	Hazardous: calculated

## Symptoms / routes of exposure

Skin contact: Irritation or pain may occur at the site of contact. Blistering may occur. Severe burns may

occur.

Eye contact: There may be irritation and redness. The eyes may water profusely. Corneal burns may

occur.

Ingestion: There may be soreness and redness of the mouth and throat. There may be difficulty

AQUA 50

Page: 6

swallowing. Corrosive burns may appear around the lips. Nausea and stomach pain

may occur. There may be vomiting.

Inhalation: There may be a feeling of tightness in the chest with shortness of breath. Exposure may

cause coughing or wheezing. There may be congestion of the lungs causing severe

shortness of breath. There may be loss of consciousness.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

## Section 12: Ecological information

## 12.1. Toxicity

Ecotoxicity values: No data available.

## 12.2. Persistence and degradability

Persistence and degradability: Photodegradable.

## 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

## 12.4. Mobility in soil

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: Harmful to fauna.

#### Section 13: Disposal considerations

# 13.1. Waste treatment methods

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

### **Section 14: Transport information**

## 14.1. UN number

UN number: UN2014

## 14.2. UN proper shipping name

Shipping name: HYDROGEN PEROXIDE, AQUEOUS SOLUTION

# 14.3. Transport hazard class(es)

Transport class: 5.1 (8)

# 14.4. Packing group

Packing group: ||

### 14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

AQUA 50

Page: 7

#### 14.6. Special precautions for user

Tunnel code: E

Transport category: 2

## **Section 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

#### 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

#### **Section 16: Other information**

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H271: May cause fire or explosion; strong oxidiser.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

R5: Heating may cause an explosion.

R8: Contact with combustible material may cause fire.

R20/22: Harmful by inhalation and if swallowed.

R22: Harmful if swallowed.

R35: Causes severe burns.

R37/38: Irritating to respiratory system and skin.

R41: Risk of serious damage to eyes.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. Kilco (International) Ltd, Registered Office: 1A Trench Road, Mallusk, Newtownabbey,

Belfast, BT36 4TY. Place of Registration: Northern Ireland, Registration Number: NI3240