

Page: 1

Compilation date: 30/04/2015

Revision No: 11

Section 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product name: VIREX Product code: AF9518 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of substance / mixture: Disinfectant 1.3. Details of the supplier of the safety data sheet Company name: Kilco (International) Ltd **Broomhouses 2 Industrial Estate** Old Glasgow Road Lockerbie DG11 2SD United Kingdom Tel: +44 (0) 157 620 5480 Email: sds@kilco.co.uk 1.4. Emergency telephone number Emergency tel: +44 (0) 207 858 1228 Section 2: Hazards identification 2.1. Classification of the substance or mixture Classification under CHIP: Xn: R22; -: R31; C: R34; N: R51/53 Classification under CLP: Skin Corr. 1B: H314; Acute Tox. 4: H302+332; Aquatic Chronic 2: H411; -: EUH031 Most important adverse effects: Harmful if swallowed. Contact with acids liberates toxic gas. Causes burns. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. 2.2. Label elements Label elements: Hazard statements: EUH031: Contact with acids liberates toxic gas. H302+332: Harmful if swallowed or if inhaled. H314: Causes severe skin burns and eye damage. H411: Toxic to aquatic life with long lasting effects. Signal words: Danger Hazard pictograms: GHS05: Corrosion GHS07: Exclamation mark

VIREX

GHS09: Environmental



VIREX

		Page: 2
Precautionary statements:	P260: Do not breathe dust.	
	P280: Wear protective gloves/protective clothing/eye protection/face protection.	
	P301+312: IF SWALLOWED: Call a POISON CENTER/doctor/ if you feel unwell.	
	P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.	
	P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.	
	Rinse skin with water/shower.	
	P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
Label elements under CHIP:		
Hazard symbols:	Dangerous for the environment.	
	Corrosive.	
Risk phrases:	R22: Harmful if swallowed.	
	R31: Contact with acids liberates toxic gas.	
	R34: Causes burns.	
	R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic	
	environment.	
Safety phrases:	S26: In case of contact with eyes, rinse immediately with plenty of water and seek	
	medical advice.	
	S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.	
	S45: In case of accident or if you feel unwell, seek medical advice immediately (show	
	the label where possible).	
	S61: Avoid release to the environment. Refer to special instructions / safety data sheets.	
2.3. Other hazards		

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

PENTAPOTASSIUM BIS (PEROXYMONOSULPHATE) BIS (SULPHATE)

EINECS	CAS	CHIP Classification	CLP Classification	Percent
274-778-7	70693-62-8	Xn: R22; C: R34; -: R52	Acute Tox. 4: H302; Skin Corr. 1B: H314; Eye Dam. 1: H318; Aquatic Chronic 3: H412	30-50%

VIREX

Page: 3

		-	V: D00/00 D50/50		4.400/			
	226-218-8	5329-14-6	Xi: R36/38; -: R52/53	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Aquatic Chronic 3: H412	1-10%			
Т	ROCLOSENE	SODIUM						
2	220-767-7	2893-78-9	O: R8; Xn: R22; -: R31; Xi: R36/37; N: R50/53					
ctic	on 4: First ai	d measures						
4.1.	Description	of first aid mea	asures					
		Skin contact:	Remove all contaminated clothes and fo	otwear immediately unless stuck to skin.				
			Drench the affected skin with running wa	ter for 10 minutes or longer if substance is sti	II			
			on skin. Transfer to hospital if there are l	ourns or symptoms of poisoning.				
		Eye contact:	Bathe the eye with running water for 15	ninutes. Transfer to hospital for specialist				
			examination.					
		Ingestion:	Wash out mouth with water. Do not indu	ce vomiting. Give 1 cup of water to drink every	y 10			
			minutes. If unconscious, check for breat	ning and apply artificial respiration if necessar	y.			
If unconscious and breathing is OK, place in the recovery position. Transfer to hospital					I			
			as soon as possible.					
		Inhalation:	Remove casualty from exposure ensuring	g one's own safety whilst doing so. If				
			unconscious and breathing is OK, place	in the recovery position. If conscious, ensure				
			the casualty sits or lies down. If breathin	g becomes bubbly, have the casualty sit and				
			provide oxygen if available. Transfer to h	ospital as soon as possible.				
4.2.	Most importa	ant symptoms	and effects, both acute and delayed					
		Skin contact:	Blistering may occur. Progressive ulcera	tion will occur if treatment is not immediate.				
		Eye contact:	Corneal burns may occur. May cause pe	rmanent damage.				
		Ingestion:	Corrosive burns may appear around the	lips. Blood may be vomited. There may be				
bleeding from the mouth or nose.								
Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may			iy					
	cause coughing or wheezing.							
4.3.	Indication of	any immediat	e medical attention and special treatme	ent needed				
ctic	on 5: Fire-fig	hting measu	res					
5.1.	Extinguishin	g media						
				ounding fire should be used. Use water spray				

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

VIREX

Page: 4

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust. Refer to section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of dust in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): The identified uses for this product are detailed in Section 1.2

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

VIREX

Page: 5

PENTAPOTASSIUM BIS (PEROXYMONOSULPHATE) BIS (SULPHATE)

Workplace ex	posure limits:			Respirable dust	
State	8 hour TW	'A	15 min. STEL	8 hour TWA	15 min. STEL
EU		4mg/m3	-	-	-
DNEL/PNEC Val	ues				
	DNEL/PNEC	lo data availa	ble.		
8.2. Exposure c	ontrols				
Engineer	ing measures: E	Ensure there i	s sufficient ventilation of	the area.	
Respiratory protection: Self-contai			contained breathing apparatus must be available in case of emergency. Respiratory		
	þ	protective device with particle filter.			
На	nd protection: F	Protective glov	ves.		
E	iye protection: T	ightly fitting s	afety goggles. Ensure ey	ve bath is to hand.	
SI	Skin protection: Protective clothing.				
ction 9: Physic	cal and chemica	al properties	S		
	on basic physica	al and chemi	cal properties		
9.1. Information					
9.1. Information	State: F	ine powder			
9.1. Information	State: F Colour: V				

Oxidising:Non-oxidising (by EC criteria)Solubility in water:SolubleFlammability limits %: lower:Not applicable.Flash point°C:Not applicable.PH:1.9 - 2.5 (1% soln)

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Heat.

VIREX

Page: 6

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

PENTAPOTASSIUM BIS (PEROXYMONOSULPHATE) BIS (SULPHATE)

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	500	mg/kg
VAPOURS	RAT	4H LC50	>5	mg/l

SULPHAMIC ACID

IPR	RAT	LDLO	100	mg/kg
ORL	MUS	LD50	1312	mg/kg
ORL	RAT	LD50	3160	mg/kg

TROCLOSENE SODIUM

ORL	RAT	LD50	1420	mg/kg
ORL	RBT	LDLO	2500	mg/kg

Relevant effects for mixture:

Effect	Route	Basis
Acute toxicity (harmful)	ING	Hazardous: calculated
Corrosivity	OPT INH DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

- **Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.
- **Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Section 12: Ecological information

12.1. Toxicity

VIREX

Page: 7

Hazardous ingredients:

PENTAPOTASSIUM BIS (PEROXYMONOSULPHATE) BIS (SULPHATE)

DAPHNIA	48H EC50	3.5	mg/l
GREEN ALGA (Selenastrum capricornutum)	72H ErC50	>1	mg/l
SHEEPSHEAD MINNOWS (Cyprintodon variegat	48H EC50	1.09	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN3260

14.2. UN proper shipping name

Shipping name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

(Contains Monopersulphate Compound)

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: |||

14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: No

14.6. Special precautions for user

Tunnel code: E

Transport category: 3

VIREX

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

|--|

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No	
	453/2010.	
	* indicates text in the SDS which has changed since the last revision.	
	This safety data sheet is prepared in accordance with Commission Regulation (EC) No	
	1272/2008.	
Phrases used in s.2 and s.3:	EUH031: Contact with acids liberates toxic gas.	
	H272: May intensify fire; oxidiser.	
	H302: Harmful if swallowed.	
	H302+332: Harmful if swallowed or if inhaled.	
	H314: Causes severe skin burns and eye damage.	
	H315: Causes skin irritation.	
	H318: Causes serious eye damage.	
	H319: Causes serious eye irritation.	
	H335: May cause respiratory irritation.	
	H410: Very toxic to aquatic life with long lasting effects.	
	H411: Toxic to aquatic life with long lasting effects.	
	H412: Harmful to aquatic life with long lasting effects.	
	R8: Contact with combustible material may cause fire.	
	R22: Harmful if swallowed.	
	R31: Contact with acids liberates toxic gas.	
	R34: Causes burns.	
	R36/37: Irritating to eyes and respiratory system.	
	R36/38: Irritating to eyes and skin.	
	R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the	
	aquatic environment.	
	R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic	
	environment.	
	R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the	
	aquatic environment.	
	R52: Harmful to aquatic organisms.	
		[cont

VIREX

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. Kilco (International) Ltd, Registered Office: Waterfront Plaza, 8 Laganbank Road, Belfast, BT1 3LR Place of Registration: Northern Ireland, Registration Number: NI3240 Page: 9